



Batch code: EUINBA-00185647

Report code: AR-24-IR-044071-01

Report date: 08.05.2024



TL-1097

Eastern Pharmaceutical Group Pty Ltd Brand Name - Apollo Nutraceutical - Sydney
50 Yeo Street, Neutral bay
2089 Sydney.
New South Wales, AUSTRALIA

Mr Hamid Ghareh


Scan to authenticate
this report

ANALYTICAL REPORT

Sample code:	258-2024-05000308	Report code:	AR-24-IR-044071-01-01
Sample name:	Shilajit Resin	Received on:	02.05.2024
		Analysed between:	03.05.2024 - 08.05.2024
Sample reference	Customer Provided Details: DOM: April 2024 DOE: May 2024		
Quantity received:	155g		
Sample packing:	Glass Container	Condition on receipt:	Good
Sampling:	NOT SAMPLED BY EUROFINS		

CHEMICAL	Method	Result	LOQ	Unit
IR13F IR Fulvic acid_Titration	EASI-CHE-SOP-175	75.79	0.1	g/100 g
IR13E IR *Humic acid	by Gravimetry	2.39	0.1	g/100 g
METAL CONTAMINANTS	Method	Result	LOQ	Unit
IR38G IR Arsenic (As)	EASI-CHE-SOP-44	0.89	0.05	mg/kg
IR38K IR Mercury (Hg)	EASI-CHE-SOP-44	<0.01	0.01	mg/kg
IR38H IR Lead (Pb)	EASI-CHE-SOP-44	0.33	0.05	mg/kg
IR38J IR Cadmium (Cd)	EASI-CHE-SOP-44	<0.02	0.02	mg/kg
MICROBIOLOGICAL	Method	Result	LOQ	Unit
IR006 IR Total plate count	ISO 4833-1	5.3x10 ³	10	cfu/g
IR012 IR Yeasts & Moulds	ISO 21527-2	<10	10	cfu/g
IR021 IR <i>Salmonella</i>	ISO 6579-1	Not detected		/25 g
IR034 IR <i>Escherichia coli</i>	ISO 16649-2	<10	10	cfu/g
IR009 IR <i>Coliforms</i>	ISO 4832	<10	10	cfu/g
IR015 IR <i>Enterobacteriaceae</i>	ISO 21528-2	<10	10	cfu/g
IR019 IR <i>Listeria</i>	ISO 11290-2	<10	10	cfu/g
	<i>Monocytogenes</i>			
IR027 IR <i>Bacillus cereus</i>	ISO 7932	<10	10	cfu/g

Note: The parameter marked with an * are not accredited under our IAS scope.

The tests identified by the two letters code IR are performed by Eurofins Analytical Services India (Bangalore), INDIA.

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.

**Batch code:** EUINBA-00185647**Report code:** AR-24-IR-044071-01

TL-1097

**Dr Shalini Sharma****BUMA - General Chemistry**

LOQ = Limit of Quantification

**Mr Sourabh Halder****Manager -Microbiology**

***** END OF REPORT *****

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.